


L Number	Hits	Search Text	DB	Time stamp
2	279	(log-likelihood-ratio or (log adj2 likelihood adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:46
3	19	approximat\$5 near3 (log-likelihood-ratio or (log adj2 likelihood adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:46
4	38	approximat\$5 same (log-likelihood-ratio or (log adj2 likelihood adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:46
5	145	approximat\$5 and (log-likelihood-ratio or (log adj2 likelihood adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:47
6	110	approximat\$5 and (log-likelihood-ratio or (log adj2 likelihood adj2 ratio)) and ((soft adj2 decision\$1) or (soft adj3 value\$1) or software)	USPAT; EPO; JPO; DERWENT	2004/10/14 16:48
7	107	approximat\$5 and (log-likelihood-ratio or (log adj2 likelihood adj2 ratio)) and ((soft adj2 decision\$1) or (soft adj3 value\$1) or software) and ((signal adj3 channel) or (signal over noise) or (n/s adj2 ratio) or (s/n adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:50
8	4	approximat\$5 same (log-likelihood-ratio or (log adj2 likelihood adj2 ratio)) same ((soft adj2 decision\$1) or (soft adj3 value\$1) or software) same ((signal adj3 channel) or (signal over noise) or (n/s adj2 ratio) or (s/n adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:51
9	4	approximat\$5 same (log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((soft adj2 decision\$1) or (soft adj3 value\$1) or software) same ((signal adj3 channel) or (signal over noise) or (n/s adj2 ratio) or (s/n adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:52
10	37	(log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((soft adj2 decision\$1) or (soft adj3 value\$1) or software) same ((signal adj3 channel) or (signal over noise) or (n/s adj2 ratio) or (s/n adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:52
11	53	(log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((soft adj2 decision\$1) or (soft adj3 value\$1)) same software	USPAT; EPO; JPO; DERWENT	2004/10/14 16:53
12	1	(log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((soft adj2 decision\$1) or (soft adj3 value\$1)) same software	USPAT; EPO; JPO; DERWENT	2004/10/14 16:53
13	25	((log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((soft adj2 decision\$1) or (soft adj3 value\$1))) and software	USPAT; EPO; JPO; DERWENT	2004/10/14 16:53
14	18	((log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((soft adj2 decision\$1) or (soft adj3 value\$1))) and software and approximat\$4	USPAT; EPO; JPO; DERWENT	2004/10/14 16:54
15	14	((log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((soft adj2 decision\$1) or (soft adj3 value\$1))) and software and approximat\$4 and ((signal near3 noise) or (n/s adj2 ratio) or (s/n adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 16:58
16	20	((log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) and ((soft adj2 decision\$1) or (soft adj3 value\$1))) and software and approximat\$4 and ((signal near3 noise) or (n/s adj2 ratio) or (s/n adj2 ratio))	USPAT; EPO; JPO; DERWENT	2004/10/14 17:03

17	20	((log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) and ((soft adj2 decision\$1) or (soft adj3 value\$1))) and software and approximat\$4 and ((signal near3 noise) or (n/s adj2 ratio) or (s/n adj2 ratio or signal-to-interface))	USPAT; EPO; JPO; DERWENT	2004/10/14 17:04
18	20	((log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) and ((soft adj2 decision\$1) or (soft adj3 value\$1))) and software and approximat\$4 and ((signal near3 noise) or (n/s adj2 ratio) or (s/n adj2 ratio or signal-to-interface or SNR))	USPAT; EPO; JPO; DERWENT	2004/10/14 17:05
19	156	(log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) and ((signal near3 noise) or (n/s adj2 ratio) or (s/n adj2 ratio) or signal-to-interface or SNR)	USPAT; EPO; JPO; DERWENT	2004/10/14 17:06
20	27	(log-likelihood-ratio or (log adj2 likelihood adj2 ratio) or LLR) same ((signal near3 noise) or (n/s adj2 ratio) or (s/n adj2 ratio) or signal-to-interface or SNR)	USPAT; EPO; JPO; DERWENT	2004/10/14 17:06



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Xplore®

- Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **105** of **1079782** documents.
 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enterin new one in the text box.

 Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Shadow prices for LLR and ALBA**

Vargas, C.; Hegde, M.V.; Naraghi-Pour, M.; Min, P.S.;
 Networking, IEEE/ACM Transactions on , Volume: 4 , Issue: 5 , Oct. 1996
 Pages:796 - 807

[\[Abstract\]](#) [\[PDF Full-Text \(1020 KB\)\]](#) **IEEE JNL****2 Fault current limiting by means of loss-less resistor**

Ji-Yan Chen; Chen, Z.;
 American Control Conference, 2000. Proceedings of the 2000 , Volume: 1 , Iss 6 , 28-30 June 2000
 Pages:544-- 548 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) **IEEE CNF****3 On the interpretation of the APP algorithm as an LLR filter**

Land, I.; Hoeher, P.; Sorger, U.;
 Information Theory, 2000. Proceedings. IEEE International Symposium on , 25 June 2000
 Pages:415

[\[Abstract\]](#) [\[PDF Full-Text \(92 KB\)\]](#) **IEEE CNF****4 A more efficient and optimal LLR for decoding and verification**

Lam Kwok Leung; Pascale Fung;
 Acoustics, Speech, and Signal Processing, 1999. ICASSP '99. Proceedings., 19 IEEE International Conference on , Volume: 2 , 15-19 March 1999
 Pages:689 - 692 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(224 KB\)\]](#) **IEEE CNF**

5 On LLR routing in circuit-switched networks

Huang-Leng Chang; Ren-Hung Hwang;

Information Networking, 1998. (ICOIN-12) Proceedings., Twelfth International Conference on , 21-23 Jan. 1998

Pages:456 - 461

[\[Abstract\]](#) [\[PDF Full-Text \(128 KB\)\]](#) [IEEE CNF](#)

6 LLR routing in homogeneous VP-based ATM networks

Ren-Hung Hwang;

INFOCOM '95. Fourteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Bringing Information to People. Proceedings. IEEE April 1995

Pages:587 - 593 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(636 KB\)\]](#) [IEEE CNF](#)

7 Log-likelihood ratio (LLR) conversion schemes in orthogonal code hopping multiplexing

Jae Kyun Kwon; Suwon Park; Dan Keun Sung;

Communications Letters, IEEE , Volume: 7 , Issue: 3 , March 2003

Pages:104 - 106

[\[Abstract\]](#) [\[PDF Full-Text \(250 KB\)\]](#) [IEEE JNL](#)

8 Asymptotically optimal bias for a general nonlinearity in Page's test

Abraham, D.A.;

Aerospace and Electronic Systems, IEEE Transactions on , Volume: 32 , Issue: 1 , Jan. 1996

Pages:360 - 367

[\[Abstract\]](#) [\[PDF Full-Text \(576 KB\)\]](#) [IEEE JNL](#)

9 Log-likelihood ratio based detection ordering for the V-BLAST

Sang Wu Kim;

Global Telecommunications Conference, 2003. GLOBECOM '03. IEEE , Volume: 1 , 1-5 Dec. 2003

Pages:292 - 296 Vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(418 KB\)\]](#) [IEEE CNF](#)

10 A weighted parallel interference cancellation detector for convolutionally coded CDMA systems

Weon Yong Joo; Soon Young Yoon; Hwang Soo Lee;

Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo. IEEE 51st , Volume: 2 , 15-18 May 2000

Pages:1100 - 1104 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) [IEEE CNF](#)

11 Robust speaker change detection

Ajmera, J.; McCowan, I.; Bourlard, H.;

Signal Processing Letters, IEEE , Volume: 11 , Issue: 8 , Aug. 2004
Pages:649 - 651

[Abstract] [PDF Full-Text (120 KB)] IEEE JNL

12 A new successive interference cancellation for asynchronous CDMA

Xiaodong Ren; Shidong Zhou; Yan Yao; Zucheng Zhou;

Global Telecommunications Conference, 2003. GLOBECOM '03. IEEE , Volume: 1 , 1-5 Dec. 2003

Pages:252 - 256 Vol.1

[Abstract] [PDF Full-Text (261 KB)] IEEE CNF

13 Optimal turbo decoding metric generation in a pilot assisted coherent wireless communication system

Fuyun Ling;

Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd , Volume 1 , 24-28 Sept. 2000

Pages:298 - 302 vol.1

[Abstract] [PDF Full-Text (340 KB)] IEEE CNF

14 Optimum Selection Combining for \$M\$-ary Signals in Frequency-Nonselective Fading Channels

Communications, IEEE Transactions on , Volume: 52 , Issue: 8 , Aug. 2004

Pages:1426 - 1426

[Abstract] [PDF Full-Text (35 KB)] IEEE JNL

15 Static and dynamic approaches to modeling end-to-end routing in circuit-switched networks

Young Lee; Tien, J.A.;

Networking, IEEE/ACM Transactions on , Volume: 10 , Issue: 5 , Oct. 2002

Pages:693 - 706

[Abstract] [PDF Full-Text (470 KB)] IEEE JNL

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)
